



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. The new model, G-Snack XII, allows for flexible products assortment by favouring up to 84 selections with a 6+6 double tray: so spacious and versatile that can be considered as an automated mini convenience store open 24/7. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B goods as well as...

[\(more at our website\)](#)

SDX

G-Snack Design Ten (X) Master

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	SDX
DIMENSIONS H x W x D (mm)	1830*x 1125 x 845
WEIGHT (NET - Standard machine without options)	340 Kg
NO. OF SELECTIONS PER SHELF	10
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 70
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HC2 / HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION (HCD)	350 W
ENERGY CLASS (HCD)	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum (HCD)	694 (Cat. 2) 869 (Cat. 3) 925 (Cat. 4)

*With adjustable feet

OPTIONAL

- SPEEDY LIFT
- E-LABELING
- ROTARY & BELT SYSTEM
- KIT SANDWICH / BAGUETTE
- MOTORIZED LOCK DELIVERY EYELET
- SPECIAL CODED LOCK (RIELDA)
- LOCK PROTECTION
- SAFETY SLIDE COIN INSERT
- SECURITY CASH BOX SYSTEM
- ROOF KIT
- WALL/FLOOR FIXING KIT
- PAYMENT SYSTEM
- KIT EVA DTS
- VARIOUS FITTING KITS
- CUSTOMIZATION
- CUSTOMIZED CABINET COLOUR



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. The new model, G-Snack XII, allows for flexible products assortment by favouring up to 84 selections with a 6+6 double tray: so spacious and versatile that can be considered as an automated mini convenience store open 24/7. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B goods as well as...

[\(more at our website\)](#)

SC8

G-Snack Design Eight (VIII) Master

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	SC8
DIMENSIONS H x W x D (mm)	1830*x 980 x 845
WEIGHT (NET - Standard machine without options)	310 Kg
NO. OF SELECTIONS PER SHELF	8
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 56
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HC2 / HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION	350 W
ENERGY CLASS	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	681 (Cat. 2) 849 (Cat. 3) 878 (Cat. 4)

*With adjustable leveling screw

OPTIONAL

- SPEEDY LIFT
- E-LABELING
- ROTARY & BELT SYSTEM
- KIT SANDWICH / BAGUETTE
- MOTORIZED LOCK DELIVERY EYELET
- SPECIAL CODED LOCK (RIELDA)
- LOCK PROTECTION
- SAFETY SLIDE COIN INSERT
- SECURITY CASH BOX SYSTEM
- ROOF KIT
- WALL/FLOOR FIXING KIT
- PAYMENT SYSTEM
- KIT EVA DTS
- VARIOUS FITTING KITS
- CUSTOMIZATION
- CUSTOMIZED CABINET COLOUR



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. The new model, G-Snack XII, allows for flexible products assortment by favouring up to 84 selections with a 6+6 double tray: so spacious and versatile that can be considered as an automated mini convenience store open 24/7. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B goods as well as...

[\(more at our website\)](#)

SC6

G-Snack Design Six (VI) Master

TECHNICAL SPECIFICATIONS

SC6

DIMENSIONS H x W x D (mm)	1830*x 830 x 845
WEIGHT (NET - Standard machine without options)	275 Kg
NO. OF SELECTIONS PER SHELF	6
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 42
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HC2 / HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION (HCD)	350 W
ENERGY CLASS (HCD)	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum (HCD)	629 (Cat. 2) 798 (Cat. 3) 793 (Cat. 4)

*With adjustable feet

OPTIONAL

- SPEEDY LIFT
- E-LABELING
- ROTARY & BELT SYSTEM
- KIT SANDWICH / BAGUETTE
- MOTORIZED LOCK DELIVERY EYELET
- SPECIAL CODED LOCK (RIELDA)
- LOCK PROTECTION
- SAFETY SLIDE COIN INSERT
- SECURITY CASH BOX SYSTEM
- ROOF KIT
- WALL/FLOOR FIXING KIT
- PAYMENT SYSTEM
- KIT EVA DTS
- VARIOUS FITTING KITS
- CUSTOMIZATION
- CUSTOMIZED CABINET COLOUR